

Test ReportNo.:SHAEC24013540801Date:Jun 27, 2024Page 1 of 5Client Name:ANHUI PURUIKANG PHARMACEUTICAL PACKAGING TECHNOLOGY CO.,LTD.Client Address:NO. 23 SCIENCE ROAD, SHUSHAN MODERN INDUSTRIALPARK, SHOUXIAN COUNTY,
HUAINAN CITY ANHUI PROVINCE

Sample Name: PVC RIGID FILM The above sample(s) and information were provided by the client.

SGS Job No.:	SHP24-019896
Sample Receiving Date:	Jun 21, 2024
Testing Period:	Jun 21, 2024 ~ Jun 27, 2024
Test Requested:	Select test(s) as requested by the client.
Test Method(s):	Please refer to next page(s).
Test Result(s):	Please refer to next page(s).

	Test Requirement	Comment
1	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, (EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation - Overall Migration	Pass
2	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, (EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation - Specific migration of heavy metals	Pass
3	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 - Sensorial examination odour and taste test	Pass

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Annie Lin

Annie Liu Approved Signatory





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.agpx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.agpx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfui and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

3rdBuilding,No.889 Yishan Road Xuhui Distrid,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com



Test Report

No.: SHAEC24013540801

Date: Jun 27, 2024

Test Result(s):

Test Part Description:

SN ID	Sample No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	A.C001	SHA24-0135408-0001.C001	Colorless transparent solid	PVC
<u> </u>				

Remarks:

- (1) $mg/dm^2 = milligram per square decimeter$ mg/inch² = milligram per square inches μ g/cm² = microgram per square centimeter mg/L = milligram per litre mg/kg = milligram per kilogram
- (2) °C = degree Celsius

°F = degree Fahrenheit

- (3) <= less than
- (4) RL = Reporting Limit
- (5) ND = Not Detected (< RL).

The ratio of surface area to volume

Sample No	Overall Migration	Specific Migration
A.C001	10.0 dm²/kg	6.0 dm²/kg

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, (EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation - Overall Migration

Test Method: With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and Annex V for selection of condition and EN 1186-1:2002 for selection of test methods; EN 1186-3:2022 Test methods for overall migration in evaporable simulants

	Test Condition								
	10% Ethanol(V/V)	3% Acetic acid (W/V)	95% Ethanol	Isooctane					
A.C00 1	70°C, 2 hrs	70°C, 2 hrs	60°C, 2 hrs	40°C, 0.5 hr					

Simulant used	Limit	Unit(s)	RL	A.C001 (1 st Migration)	A.C001 (2 nd Migration)	A.C001 (3 rd Migration)	Stability	Comme nt
10% Ethanol(V/V)	10	mg/dm²	3.0	ND	ND	ND	Compliant	Pass
3% Acetic acid (W/V)	10	mg/dm²	3.0	ND	ND	ND	Compliant	Pass
95% Ethanol	10	mg/dm²	3.0	ND	ND	ND	Compliant	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T ort & certificate, please contact us at telephone: (86-755) 8307 1443,

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899

Member of the SGS Group (SGS SA)

e sgs.china@sgs.com



Test Report No		No.:	SHAEC24013540801		Date: Jun 27, 2024		Page 3 of 5		
	Simulant used	Limit	Unit(s)	RL	A.C001 (1 st Migration)	A.C001 (2 nd Migration)	A.C001 (3 rd Migration)	Stability	Comme nt
	lsooctan e	10	mg/dm²	3.0	ND	ND	ND	Compliant	Pass

Notes:

(1) Analytical tolerance of evaporable simulants is 2 mg/dm² or 12 mg/kg, analytical tolerance of olive oil simulant is 3 mg/dm² or 20 mg/kg.

(2) Test condition & simulant were specified by client.

(3) A material or article with overall migration result that exceeds the overall migration limit by an amount not exceeding the analytical tolerance, shall be deemed to be in compliance with the overall migration limit.
(4) For repeated use, compliance of the material or article is verified on the basis of the level of the migration found in the third test and on the basis of the stability of the material or article from the first to the third migration test.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, (EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation - Specific migration of heavy metals

Test Method: With reference to EN 13130-1:2004, analysis was performed by ICP-OES/ICP-MS.

Simulant	Test Condition
Simulant	A.C001
3% Acetic acid (W/V)	70°C, 2 hrs

Test Item(s)	Limit	Unit(s)	RL	A.C001			
3% Acetic acid (W/V)							
Migration times				First	Second	Third	
Arsenic(As)	ND	mg/kg	0.01	ND	ND	ND	
Cadmium(Cd)	ND	mg/kg	0.002	ND	ND	ND	
Chromium(Cr)	ND	mg/kg	0.01	ND	ND	ND	
Mercury(Hg)	ND	mg/kg	0.01	ND	ND	ND	
Lead(Pb)	ND	mg/kg	0.01	ND	ND	ND	
Aluminium(Al)	1	mg/kg	0.1	ND	ND	ND	
Barium(Ba)	1	mg/kg	0.25	ND	ND	ND	
Cobalt(Co)	0.05	mg/kg	0.01	ND	ND	ND	
Copper(Cu)	5	mg/kg	0.25	ND	ND	ND	
Iron(Fe)	48	mg/kg	5	ND	ND	ND	
Lithium(Li)	0.6	mg/kg	0.1	ND	ND	ND	
Manganese(Mn)	0.6	mg/kg	0.1	ND	ND	ND	
Zinc(Zn)	5	mg/kg	0.5	ND	ND	ND	
Nickel(Ni)	0.02	mg/kg	0.01	ND	ND	ND	
Antimony(Sb)	0.04	mg/kg	0.01	ND	ND	ND	
Europium(Eu)	-	mg/kg	0.025	ND	ND	ND	
Gadolinium(Gd)	-	mg/kg	0.025	ND	ND	ND	
Lanthanum(La)	-	mg/kg	0.025	ND	ND	ND	
Terbium(Tb)	-	mg/kg	0.025	ND	ND	ND	
Europium(Eu)+ Gadolinium(Gd)+ Lanthanum(La)+ Terbium(Tb)	0.05	mg/kg	-	ND	ND	ND	
Stability	-	-	-		Compliant		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues offined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwises atted the results shown in this test report refer only to the sample(s) tested. Attention: To check the authenticity of testing 'inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing 'inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing 'inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing 'inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing 'inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing 'inspection's certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authe

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国 · 上海 · 徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com



Test Report No.		No.:	SHAEC24013540801 Date:			Date:	Jun 27, 2024	Page 4 of 5
	Test Item(s)			Limit	Unit(s)	RL	A.C001	
	Comment						Pass	

Notes:

(1) Test condition & simulant were specified by client.

(2) For repeated use, compliance of the material or article is verified on the basis of the level of the migration found in the third test and on the basis of the stability of the material or article from the first to the third migration test. For substances which limit is "Not Detected", the compliance is based on the first migration test result if it is detected.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 -Sensorial examination odour and taste test

Test Method: With reference to DIN 10955: 2024. No. of panelist: 6

Test Media	Test Condition
	A.C001
Distilled water	70°C, 2 hrs

Test Item(s)	Limit	Unit(s)	A.C001				
Area/Volume	-	dm²/kg	10.0				
Sensorial examination odour	2.5	-	0				
Sensorial examination taste	2.5	-	0				
Comment							

Notes:

Intensity scale (rounded at 0.5):

- 0 no perceptible difference
- 1 just perceptible difference
- 2 slight difference
- 3 marked difference
- 4 strong difference

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is the street of the accument is stated the results shown in this test report refer only to the sample(s) tested. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com





SGS authenticate the photo on original report only *** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document appx. Taransaction form exercising all their rights and obligations under the transaction documents. This document is document is appearance of this document is be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

3stBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 t L&E&E (86-21) 61402553 f L&E (86-21) 64953679 www.sgsgroup.com.cn 中国 • 上海 • 徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21) 61156899 e sgs.china@sgs.com