





SGS (Thailand) Limited

Page 1 of 7

Test Report No. 5368132

Client: Excel Packaging Co., Ltd.

135,135/1-2 Moo 9 Soi Kratoomlom 9 Puthamonthon Sai 4 Road

Kratoomlom, Sampran Nakornpathom 73220 Thailand

The following sample(s) was/were submitted and identified by client as:

Sample Name : PS (Sheet & Tray)

Sample Description : PS Color : White

The following sample(s) was/were identified by SGS as:

SGS Sample No. : 5595129

Sample Condition : Sample is contained in a plastic bag.

Quantity Submitted : 1 pack

Sample Receiving Date : 6-Sep-2022

Testing Period : 6-Sep-2022 to 16-Sep-2022

Test Method & Results : Please refer to next page(s).

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Condition

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."







SGS (Thailand) Limited

Page 2 of 7

Test Report No. 5368132

Test Requested & Result Summary

Test Requested: Please refer to the result summary (Test parameter(s) was/were selected by client).

Result Summary:

Test Requested Conclusion

Notification of the Ministry of Public Health (No.435) B.E. 2565 (2022) (List no.2 table 1 and 2): Qualities or standard for container made from plastic

a) Polystyrene (PS)

1 Load content	PASS
1. Lead content	
2. Cadmium content	PASS
3. Heavy metal (as lead) in 4% concentrated acetic acid extraction	PASS
4. Quantity of potassium Permanganate Consumed	PASS
5. Residue after Evaporation Test	PASS
6. Migration of color Extraction	PASS
7. Volatile substances	PASS
(Styrene Toluene Ethylbenzene Isopropylbenzene and n-Propylbenzene)	

tyrene, loluene,Ethylbenzene,Isopropylbenzene and n-Propylbenzene)

- 1. Test results in this report are applicable for the item tested and reflects the tested sample as received.
- 2. The decision rules based on simple acceptance which the probability of false accept may be as high as 50% in case the results is exactly on the tolerance limit.

Signed for and on behalf of SGS (Thailand) Ltd.



Rutchuporn Moungsom Laboratory manager - Toy and Hard goods

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."







SGS (Thailand) Limited

Page 3 of 7

Test Report No.

5368132

TEST RESULTS

Notification of the Ministry of Public Health (No.435) B.E. 2565 (2022) (List no.2 table 1 and 2): Qualities or standard for container made from plastic;

a) Polystyrene (PS)

Qualities and standard of plastic

Method: With reference to TIS 656: 2556. Analysis was performed by ICP-OES.

Details	Result (1) (mg/kg)	Limit of Quantitative (mg/kg)	Permissible Limit (mg/kg)
Lead content***	<2	2.0	100
Cadmium content***	<2	2.0	100

Sample Description:

1. White plastic sheet

Note:

1. mg/kg = milligram per kilogram

2. < = Less than

3. The test item(s) marked *** on test report is/are analyzed at SGS (Thailand) Limited, address: 10, 10/1 - 4 and 12 Soi Rama III S. 59, Chong Nonsi, Yan Nawa, Bangkok.

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Condition

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."







SGS (Thailand) Limited

Page 4 of 7

Test Report No. 5368132

TEST RESULTS

Qualities and standard of dissemination

Method: With reference to TIS 656: 2556

Details	Test Condition^	Result (1) (mg/dm3)	Limit of Quantitative (mg/dm3)	Permissible Limit (mg/dm3)
Heavy metal (calculated as lead) in 4% concentrated acetic acid extraction	30 minute at 95 degree C	<1		1
Potassium permanganate used for reaction in water extraction	30 minute at 95 degree C	<1	1.0	10
Residue substances which is evaporate in water	30 minute at 95 degree C	<3	3.0	30
Residue substances which is evaporate in 4% concentrated acetic acid	30 minute at 95 degree C	<3	3.0	30
Residue substances which is evaporate in 20% concentrated alcohol	30 minute at 95 degree C	<3	3.0	30
Residue substances from volatile matters in normal heptane^^	Room temperature (1 hr. at 25 degree C)	27	3.0	240

Sample Description:

1. White plastic sheet

Note

- 1. mg/dm3 = milligram per cubic decimeter
- 2. Degree C = degree Celsius
- 3. < = Less than

Remark

- 1. ^ = In case of the use at temperature higher than 100 degree Celsius
- 2. ^^ = The color plastic layer was removed after simulation of normal heptane

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Condition

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."







SGS (Thailand) Limited

Page 5 of 7

Test Report No. 5368132

TEST RESULTS

Qualities and standard of dissemination

Test Method: With reference to TIS 655-1:2553

Details	Test Condition^	Result (1)	Permissible Limit
Migration of color extract by water	30 minute at 95 degree C	Negative (See Note 2)	Negative
Migration of color extract by 4% concentrated acetic acid	30 minute at 95 degree C	Negative (See Note 2)	Negative
Migration of color extract by 20% concentrated alcohol	30 minute at 60 degree C	Negative (See Note 2)	Negative
Migration of color extract by normal heptanes^^	Room temperature (1 hr. at 25 degree C)	Negative (See Note 2)	Negative

Sample Description:

1. White plastic sheet

Note:

- 1. Degree C = degree Celsius
- 2. "Negative" mean it's not presence of color migration/ "Positive" mean it's presence of color migration

- 1. ^ = In case of the use at temperature higher than 100 degree Celsius
- 2. ^^ = The color plastic layer was removed after simulation of normal heptane

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."







SGS (Thailand) Limited

Date: 16-Sep-2022

Page 6 of 7

Test Report No.
TEST RESULTS

Qualities and standard of plastic

Method: With reference to TIS 656 - 2556. Analysis was performed by GC-FID.

5368132

Polystyrene - Volatile substances (Styrene, Toluene, Ethylbenzene, Isopropylbenzene and n-Propylbenzene)***

Volatile substances	Result (1) (mg/kg)	Limit of Quantitation (mg/kg)	Limit (mg/kg)
Styrene	705	100	1000
Toluene	<100	100	
Ethylbenzene	<100	100	1000
Isopropylbenzene	<100	100	
n-propylbenzene	<100	100	
Total	705		2000
Comment	PASS		

Sample Description:

1. White plastic sheet

Note:

1. mg/kg = milligram per kilogram

2. < = Less than

Remark:The test item(s) marked *** on test report is/are analyzed at SGS (Thailand) Limited, address: 41/16-20 and 41/23 Soi Rama III 59, Rama III road, Chongnonsee, Yannawa, Bangkok.

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Condition

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."



Test Report No.





SGS (Thailand) Limited

Page 7 of 7

Date: 16-Sep-2022

SAMPLE/ATTACHMENT PICTURE

5368132

5595129 Tested sample --->

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Condition

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."