



Date : 8-Jul-2024

Page 1 of 7

#### Client : Excel Packaging Co.,Ltd. 135,135/1-2 Moo 9 Soi Kratoomlom 9 Puthamonthon Sai 4 Road Kratoomlom,Sampran Nakornpathom 73220 Thailand

The following sample(s) was/were submitted and identified by client as:

Sample Name	: PP (Sheet & Tray)
Sample Description	: PP
Color	: YELLOW
The following sample(s) v	was/were identified by SGS as:
SGS Sample No.	: 6250956
Sample Condition	: Sample is contained in a plastic bag.
Quantity Submitted	: 2 pack
Sample Receiving Date	∶ 1-Jul-2024
Testing Period	∶ 1-Jul-2024 to 8-Jul-2024
Test Method & Results	: Please refer to next page(s).

Signed for and on behalf of SGS (Thailand) Ltd.

# Rutchuporn Moungsom Toys and Hardlines Laboratory Manager



"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information."

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) received and such sample(s) are retained for 30 days only.

SGS (Thailand) Limited Laboratory Services 1025/1 Rama III Road, Chong Nonsi, Yan Nawa, Bangkok t +66 (0)2 481 52 59 f +66 (0)2 481 52 60 www.sgs.com

5641203





Date: 8-Jul-2024

See results

Page 2 of 7

### **Test Requested & Result Summary**

Test Requested : Please refer to the result summary (Test parameter(s) was/were selected by client).

**Result Summary:** 

Test Requested Notification of the Ministry of Public Health (No.435) B.E. 2565 (2022) (List no.2 table 1 and 2) : Qualities or standard for container made from plastic;	Conclusion 
a) Polypropylene (PP)	
<ol> <li>Lead content</li> <li>Cadmium content</li> <li>Heavy metal (as lead) in 4% concentrated acetic acid extraction</li> <li>Quantity of potassium Permanganate Consumed</li> <li>Residue after Evaporation Test</li> <li>Migration of color Extraction</li> </ol>	PASS PASS PASS PASS PASS PASS

7. Pathogenic microorganisms

### Remark:

1. Test results in this report are applicable for the item tested and reflects the tested sample as received.

2. The decision rules based on simple acceptance which the probability of false accept may be as high as 50% in case the results is exactly on the tolerance limit.

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information."

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) received and such sample(s) are retained for 30 days only.

SGS (Thailand) Limited Laboratory Services 1025/1 Rama III Road, Chong Nonsi, Yan Nawa, Bangkok t +66 (0)2 481 52 59 f +66 (0)2 481 52 60 www.sgs.com

Member of the SGS Group





Date : 8-Jul-2024

Page 3 of 7

TEST RESULTS

Notification of the Ministry of Public Health (No.435) B.E. 2565 (2022) (List no.2 table 1 and 2) : Qualities or standard for container made from plastic;

#### a) Polypropylene (PP)

#### Qualities and standard of plastic

Method : With reference to TIS 656: 2556. Analysis was performed by ICP-OES.

Details	Result (1) (mg/kg)	Limit of Quantitative (mg/kg)	Permissible Limit (mg/kg)
Lead content***	<2	2.0	100
Cadmium content***	<2	2.0	100

Sample Description :

1. Yellow plastic sheet

Note : 1. mg/kg = miligram per kilogram 2. < = Less than

Remark:The test item(s) marked \*\*\* on test report is/are analyzed at SGS (Thailand) Limited, address: 10, 10/1 - 4 and 12 Soi Rama III S. 59, Chong Nonsi, Yan Nawa, Bangkok.

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information." "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic at http://www.sgs.com/en/Terms-and-Conditions/

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) received and such sample(s) are retained for 30 days only.

SGS (Thailand) Limited Laboratory Services 1025/1 Rama III Road, Chong Nonsi, Yan Nawa, Bangkok t +66 (0)2 481 52 59 f +66 (0)2 481 52 60 www.sgs.com





Date : 8-Jul-2024

Page 4 of 7

#### TEST RESULTS

### Qualities and standard of dissemination

Method : With reference to TIS 656: 2556.

Details	Test Condition <sup>^</sup>	Result (1) (mg/dm3)	Limit of Quantitative (mg/dm3)	Permissible Limit (mg/dm3)
Heavy metal (calculated as lead) in 4% concentrated acetic acid extraction	30 minute at 95 degree C	<1	-	1
Potassium permanganate used for reaction in water extraction	30 minute at 95 degree C	<1	1.0	10
Residue substances which is evaporate in water	30 minute at 95 degree C	<3	3.0	30
Residue substances which is evaporate in 4% concentrated acetic acid	30 minute at 95 degree C	<3	3.0	30
Residue substances which is evaporate in 20% concentrated alcohol	30 minute at 95 degree C	<3	3.0	30
Residue substances from volatile matters in normal heptane	Room temperature (1 hr. at 25 degree C)	4	3.0	30

#### Sample Description :

1. Yellow plastic sheet

Note :

1. mg/dm3 = milligram per cubic decimeter

2. Degree C = degree Celsius

3. < = Less than

Remark :

1. ^ = In case of the use at temperature higher than 100 degree Celsius

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information."

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx and, for electronic

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) received and such sample(s) are retained for 30 days only.

SGS (Thailand) Limited Laboratory Services 1025/1 Rama III Road, Chong Nonsi, Yan Nawa, Bangkok t +66 (0)2 481 52 59 f +66 (0)2 481 52 60 www.sgs.com





Date : 8-Jul-2024

Page 5 of 7

### TEST RESULTS

### Qualities and standard of dissemination

Test Method : With reference to TIS 655 -1 : 2553

Details	Test Condition^	Result (1)	Permissible Limit
Migration of color extract by water	30 minute at 95 degree C	Negative (See Note 2)	Negative
Migration of color extract by 4% concentrated acetic acid	30 minute at 95 degree C	Negative (See Note 2)	Negative
Migration of color extract by 20% concentrated alcohol	30 minute at 60 degree C	Negative (See Note 2)	Negative
Migration of color extract by normal heptanes	Room temperature (1 hr. at 25 degree C)	Negative (See Note 2)	Negative

Sample Description :

1. Yellow plastic sheet

Note :

1. Degree C = degree Celsius

2. "Negative" mean it's not presence of color migration/ "Positive" mean it's presence of color migration

Remark :

1. ^ = In case of the use at temperature higher than 100 degree Celsius

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information." "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) received and such sample(s) are retained for 30 days only.

SGS (Thailand) Limited Laboratory Services 1025/1 Rama III Road, Chong Nonsi, Yan Nawa, Bangkok t +66 (0)2 481 52 59 f +66 (0)2 481 52 60 www.sgs.com

5641203

Member of the SGS Group





Date : 8-Jul-2024

Page 6 of 7

#### TEST RESULTS

Pathogenic microorganisms

Test Items	Method	Results	Units
Salmonella spp.***	ISO 6579-1 : 2017	Not detected	Per piece
Staphylococcus aureus***	Compendium of methods for the examination of foods,5th edition,2015,chapter 39	Not detected	Per piece
Clostridium perfringens***	Compendium of methods for the examination of foods,5th edition,2015,chapter 33	Not detected	Per piece
Bacillus cereus***	Compendium of methods for the examination of foods,5th edition,2015,chapter 31	Not detected	Per piece
E.colj***	Compendium of methods for the examination of foods,5th edition,2015,chapter 9	Not detected	Per piece
Total Plate Count***	ISO 4833-1: 2013	Less than 1	CFU/piece

Remark : The test item(s) marked \*\*\* on test report is/are analyzed at SGS (Thailand) Limited, address: 10, 10/1 - 4 and 12 Soi Rama III S. 59, Chong Nonsi, Yan Nawa, Bangkok.

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information." "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and objective provided except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) received and such sample(s) are retained for 30 days only.

SGS (Thailand) Limited Laboratory Services 1025/1 Rama III Road, Chong Nonsi, Yan Nawa, Bangkok t +66 (0)2 481 52 59 f +66 (0)2 481 52 60 www.sgs.com

Member of the SGS Group





Page 7 of 7

Test Report No.5939490SAMPLE/ATTACHMENT PICTURE

AENT PICTURE

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information." "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) received and such sample(s) are retained for 30 days only.

SGS (Thailand) Limited Laboratory Services 1025/1 Rama III Road, Chong Nonsi, Yan Nawa, Bangkok t +66 (0)2 481 52 59 f +66 (0)2 481 52 60 www.sgs.com

Member of the SGS Group

Date : 8-Jul-2024